

Thinners for Solvent Based Inks

Code A31890900

PRODUCT DESCRIPTION

These thinners are compatible with solvent based inks.

APPLICATION FIELDS

These thinners may be used when it is necessary to reduce viscosity of solvent based inks, before printing.

APPLICATION PROCESS

Inks	HI-GLOSS	serie A31135000
	CARBOGLOSS	serie A31126000
	VINILFAST	serie A31136000
	VINILFLAT	serie A31138000
	VINYL-GLO	serie A31172000
	METALINK	serie A31194000
	THERMOPLUS	serie A31149000
	ACRILUX	serie A31148000
	CELLOFLEX	serie A31120000
	TEXYLON	serie A31158000
	ONDAFLUTE	serie A31185000
	EPOXSER	serie A31192000
	SERIPOXY	serie A31190000
Special effects		
Quantity	According to the type of ink used and the printing requirements	
Thinners	See the product range table	
Storage	Away from direct sunlight and heat sources	
Package	See the product range table	
Safety Data Sheet	Available upon request	

GENERAL FEATURES

- Very wide product range
- Wide application field
- Compatible with all the solvent based inks
- Excellent printability
- Ideal to reduce the viscosity

PREPARATION

Put the selected thinner into the ink to be used, and mix well, before printing.

TECHNICAL FEATURES

The products range from very fast to extremely slow thinners.

The thinner quantity to be added is in accordance with its evaporation and the available printing technology.

SPECIAL INSTRUCTIONS

- Always test the characteristics of the product, before starting production.
- The above information is the result of previous knowledge and experience; it is neither a guarantee nor an assurance.
- Choose the most indicated thinner, according to the ink.
- Choose the thinner also according to the substrate to be printed.

PRODUCT RANGE

CODE	PRODUCT	EVAPORATION	PACKAGE	Notes															
				HIGLOSS	CARBOGLOSS	VINILFAST	VINILFLAT	THERMOPLUS	VYNIL-GLO	METALINK	ACRILUX	CELLOFLEX	TEXYLON	POSTERFAST	ONDAFLUTE	SERIPOXY	EPOXSER		
A3189092100-	THINNER 90.921 SPRAY	Very quick	1 l and 5 l	X	X	X	X	X	X	X	X		X				X	X	
A3189090400-	THINNER 90.904 FAST	Quick	1 l and 5 l	X	X	X	X	X	X	X	X		X	X	X	X	X	X	
A3189092500-	THINNER 90.925 ODOURLESS FAST	Quick	1 l and 5 l											X	X				
A3189092700-	THINNER 90.927	Middle	1 l and 5 l	X	X	X	X		X	X			X						Contains PAHs*
A3189091300-	THINNER 90.913 ODOURLESS	Middle	1 l and 5 l	X	X	X	X	X	X	X	X	X	X						
A3189091700-	THINNER 90.917 ODOURLESS	Middle	1 l and 5 l	X	X	X	X	X	X	X				X	X				Contains PAHs*
A3189092200-	THINNER 90.922	Middle	1 l and 5 l														X	X	
A3189092400-	THINNER 90.924	Middle	1 l and 5 l	X		X	X	X	X	X	X	X	X	X	X	X			
A3189099200-	THINNER 90.992	Middle	1 l and 5 l	X	X	X	X	X	X	X	X						X	X	
A3189091800-	THINNER 90.918 SLOW	Slow	1 l and 5 l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
A31890911NF00-	THINNER 90.911 NF EXTRA SLOW	Extra slow	1 l and 5 l	X	X	X	X	X	X	X		X	X				X	X	
A3189093100-	THINNER 90.931 EXTRA SLOW ODOURLESS	Extra slow	1 l and 5 l														X	X	
A31890923001	THINNER 90.923 RETARDER ODOURLESS	Extra slow	1 l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
A3189099800-	RETARDER 90.998	Extra slow	1 l and 5 l														X	X	

* acronym for Polycyclic Aromatic Hydrocarbon



IMPORTANT NOTE

The information given in this technical sheet is not intended to be exhaustive and any person, using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us to the suitability of the product for the intended purpose, does so at his own risk.

While we endeavour to ensure that all advice we give about the product is correct, we have no control over either the quality or condition of the substrate or the many factors affecting the use and application of the product.

Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage arising out of the use of the product.

The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.